

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	2	"20020186665".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 19:04
L12	201	"370".clas. and (((path\$2 or rout\$3 or link\$2) same (metric\$2 or cost\$2)) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 19:27
L13	364	((path\$2 or rout\$3 or link\$2) same (metric\$2 or cost\$2)) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 19:27
S1	222	370/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 09:18
S2	658	370/254.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:21
S3	1001	370/400.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:22
S4	3011	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:23
S5	806	370/351.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:23
S6	409	370/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:23

S7	231	370/254.ccls. and (path\$2 or rout\$3) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 09:18
S8	358	370/400.ccls. and (path\$2 or rout\$3) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:52
S9	820	370/401.ccls. and (path\$2 or rout\$3) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:31
S10	142	370/328.ccls. and (path\$2 or rout\$3) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:34
S11	104	370/255.ccls. and (path\$2 or rout\$3) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:33
S12	281	370/351.ccls. and (path\$2 or rout\$3) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:34
S13	2	370/328.ccls. and ((path\$2 or rout\$3) same (learn\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:35
S14	7	370/351.ccls. and ((path\$2 or rout\$3) same (learn\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:35
S15	10	370/400.ccls. and ((path\$2 or rout\$3) same (learn\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:35
S16	7	370/255.ccls. and ((path\$2 or rout\$3) same (learn\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:35

S17	6	370/254.ccls. and ((path\$2 or rout\$3) same (learn\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:40
S18	4	370/254.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) same (learn\$3 or updat\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:43
S19	4	370/400.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) same (learn\$3 or updat\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:44
S20	19	370/401.ccls. and ((path\$2 or rout\$3) same (learn\$3) same ((next or neighbor\$3) with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 08:45
S21	18	370/351.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) and ((learn\$3 or updat\$3) same ((neighbor\$3 or next) with node\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:56
S22	17	370/254.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) and ((learn\$3 or updat\$3) same ((neighbor\$3 or next) with node\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:57
S23	18	370/255.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) and ((learn\$3 or updat\$3) same ((neighbor\$3 or next) with node\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:58
S24	10	370/328.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) and ((learn\$3 or updat\$3) same ((neighbor\$3 or next) with node\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:58
S25	37	370/400.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) and ((learn\$3 or updat\$3) same ((neighbor\$3 or next) with node\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:14
S26	24	370/401.ccls. and (((best or optimi\$4) with (path\$2 or rout\$3)) and ((learn\$3 or updat\$3) same ((neighbor\$3 or next) with node\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:39

S27	268	"370".clas. and (network\$2 same ((path\$2 or rout\$3) with node\$2 with (source\$2 or destin\$5)) same ((memory or table) with (updat\$3 or sav\$2 or stor\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:45
S28	14	370/255.ccls. and (network\$2 same ((path\$2 or rout\$3) with node\$2 with (source\$2 or destin\$5)) same ((memory or table) with (updat\$3 or sav\$2 or stor\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:45
S29	122	370/400.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:53
S30	333	370/401.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:55
S31	22	370/255.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:54
S32	52	370/328.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:54
S33	119	370/351.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:54
S34	9	370/401.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2)) and (neighbor\$3 near3 node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:56
S35	18	370/351.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2)) and (neighbor\$3 near3 node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 16:02
S36	4	("6646989" "6456599" "6130881" "6418139").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 16:03

S37	83	370/254.ccls. and ((path\$2 or rout\$3) same (learn\$3 or updat\$3)) and (processor\$2 same (memory or database\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 08:30
S38	7	((best or optim\$5) with (path\$2 or rout\$3)) same (learn\$3 or updat\$3) same (neighbor\$3 adj node\$2)) and (processor\$2 same (memory or database\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 08:33
S39	43	((best or optim\$5) with (path\$2 or rout\$3)) and ((learn\$3 or updat\$3) same (neighbor\$3 adj node\$2)) and (processor\$2 same (memory or database\$2 or table\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 08:35
S40	16	370/254.ccls. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 09:58
S41	24	370/238.ccls. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 09:33
S42	24	370/351.ccls. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 09:26
S43	62	"370".clas. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 09:34
S44	22	370/401.ccls. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 09:49
S45	9	370/255.ccls. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:02
S46	20	370/400.ccls. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:04

S47	13	370/238.ccls. and ((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:32
S48	39	370/238.ccls. and ((path\$2 or rout\$3 or link\$2) same (metric\$2 or cost\$2)) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:36
S49	146	((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:49
S50	292	((path\$2 or rout\$3 or link\$2) same (metric\$2 or cost\$2)) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 19:27
S51	62	"370".clas. and (((path\$2 or rout\$3 or link\$2) same metric\$2) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:50
S52	154	"370".clas. and (((path\$2 or rout\$3 or link\$2) same (metric\$2 or cost\$2)) same (learn\$3 or updat\$3) and (neighbor\$3 with node\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 19:27